RECEIVED CENTRAL FAX CENTER JUL 1 8 2006

KCC 4982.1 (K-C 19,834)
PATENT

Listing of Claims

(Currently Amended) A topical ointment comprising from about 30[10]% by total weight of the ointment to about 80[89]% by total weight of the ointment of an emollient, from about 20[10]% by total weight of the ointment to about 40[50]% by total weight of the ointment of a structurant, and from about 0.1% by total weight of the ointment to about 40% by total weight of the ointment of a rheology enhancer, wherein the rheology enhancer is selected from the group consisting of polyisobutylene; hydrogenated polyisobutene and butylene/ethylene/styrene copolymers; hydrogenated polyisobutene and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isononyl isononanoate and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isododecane and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isohexadecane and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isopropyl palmitate and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; and combinations thereof.

2. (Cancelled).

- 3. (Previously Presented) The topical ointment as set forth in claim 1 wherein the emollient is present in an amount of from about 60% by total weight of the ointment to about 80% by total weight of the ointment.
 - 4. (Cancelled).

- 5. (Previously Presented) The topical ointment as set forth in claim 1 wherein the rheology enhancer is present in an amount of from about 0.5% by total weight of the ointment to about 30% by total weight of the ointment.
- 6. (Previously Presented) The topical ointment as set forth in claim 1 wherein the rheology enhancer is present in an amount of from about 1% by total weight of the ointment to about 25% by total weight of the ointment.
- 7. (Original) The topical ointment as set forth in claim 1 wherein the ointment has a process temperature viscosity of from about 50 cPs to about 50,000 cPs.
- (Original) The topical ointment as set forth in claim 1 wherein the ointment has a process temperature viscosity of from about 75 cPs to about 10,000 cPs.
- 9. (Original) The topical ointment as set forth in claim 1 wherein the topical ointment has a process temperature viscosity of from about 80 cPs to about 5,000 cPs.
- (Original) The topical ointment as set forth in claim 10. 1 wherein the ointment further comprises an additional ingredient selected from the group consisting of antifoaming agents, antimicrobial actives, antivirul actives, antifungal actives, antiseptic actives, antioxidants, cosmetic astringents, drug astringents, biological additives, colorants, deodorants, film formers, fragrances, lubricants, natural moisturizing agents, skin conditioning agents, skin exfoliating agents, skin

protectants, solvents, hydrophilic surfactants, and UV absorbers.

- (Previously Presented) The topical ointment as set 11. forth in claim 1 wherein the emollient is selected from the group consisting of petrolatum, mineral oil, mineral jelly, isoparaffins, vegetable oils, avocado oil, borage oil, canola oil, castor oil, chamomile, coconut oil, corn oil, cottonseed oil, evening primrose oil, safflower oil, sunflower oil, soybean oil, sweet almond, and the like, lanolin, partially hydrogenated vegetable oils, sterols and derivatives, polydimethylsiloxanes, methicone, cyclomethicone, dimethicone, dimethiconol, trimethicone, organo-siloxanes, silicone elastomer, gums, resins, fatty acid esters, esters of C6-C28 fatty acids, and C6-C28 fatty alcohols, glyceryl esters and derivatives, fatty acid ester ethoxylates, alkyl ethoxylates, C12-C28 fatty alcohols, C12-C28 fatty acids, C12-C28 fatty alcohol ethers, Guerbet alcohols, Guerbet Acids, Guerbet Esters, and combinations thereof.
- 12. (Original) The topical ointment as set forth in claim 1 wherein the structurant has a melting point of from about 45°C to about 85°C.
- 13. (Original) The topical ointment as set forth in claim 1 wherein the structurant is selected from the group consisting of animal waxes, vegetable waxes, mineral waxes, synthetic waxes, polymers, bayberry wax, beeswax, stearyl dimethicone, stearyl trimethicone, $C_{20}-C_{22}$ dimethicone, $C_{20}-C_{22}$ trimethicone, $C_{20}-C_{22}$ trimethicone, C_{30} alkyl dimethicone, candelilla wax, carnauba, ceresin, cetyl esters, stearyl benzoate, behenyl benzoate, esparto, hydrogenated cottonseed

oil, hydrogenated jojoba oil, hydrogenated jojoba wax, hydrogenated microcrystalline wax, hydrogenated rice bran wax, japan wax, jojoba buffer, jojoba esters, jojoba wax, lanolin wax, microcrystalline wax, mink wax, motan acide wax, motan wax, ouricury wax, ozokerite parrafin, PEG-6 beeswax, PEG-8 beeswax, rezowax, rice bran wax, shellac wax, spent grain wax, spermaceti wax, synthetic spermaceti wax, synthetic beeswax, synthetic candelilla wax, synthetic carnuba wax, synthetic japan wax, synthetic jojoba wax, C_{14} - C_{28} fatty acid ethoxylates and C_{14} - C_{28} fatty ethers, C_{14} - C_{28} fatty alcohols, C_{14} - C_{28} fatty acids, polyethylene, oxidized polyethylene, ethylene-alpha olefin copolymers, ethylene homopolymers, C18-C45 olefins, poly alpha olefins, hydrogenated vegetable oils, polyhydroxy fatty acid esters, polyhydroxy fatty acid amides, ethoxylated fatty alcohols and esters of C_{12} - C_{28} fatty acids, and C_{12} - C_{28} fatty alcohols, and combinations thereof.

14. (Cancelled).

- 15. (Previously Presented) The topical ointment as set forth in claim 1 further comprising from about 0.1% by total weight of the ointment to about 25% by total weight of the ointment of a particulate material.
- 16. (Previously Presented) The topical ointment as set forth in claim 15 wherein the particulate material is present in an amount of from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment.
- 17. (Original) The topical ointment as set forth in claim 15 wherein the particulate material is selected from the group

consisting of talc, mica, titanated mica, iron oxide titanated mica, magnesium carbonate, calcium carbonate, magnesium silicate, spherical silica, hydrated silica, silica beads, titanium dioxide, zinc oxide, nylon powder, polyethylene powder, ethylene acrylates copolymer powder, methacrylate powder, polystyrene powder, silk powder, crystalline cellulose, starch, bismuth oxychloride, guanine, kaolin, bentonite, hectorite, laponite, chalk, diatomaceous earth, microsponges, microcapsules, boron nitride, and combinations thereof.

- 18. (Previously Presented) The topical ointment as set forth in claim 15 wherein the particulate material is selected from the group consisting of talc, polyethylene, hydrated silica, kaolin, bentonite, hectorite, laponite, titanium dioxide, titanated mica, microsponges, microcapsules, and mixtures thereof.
- 19. (Previously Presented) The topical ointment as set forth in claim 1 further comprising from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment of a surfactant having an HLB in the range of from about 2 to about 7.
- 20. (Original) The topical ointment as set forth in claim 19 wherein the surfactant is selected from the group consisting of sorbitan monocleate, sorbitan sequioleate, sorbitan trioleate, glyceryl stearate, sorbitan stearate, sorbitan tristearate, and mixtures thereof.
- 21. (Previously Presented) The topical ointment as set forth in claim 19 further comprising from about 0.1% by total

weight of the ointment to about 10% by total weight of the ointment of a hydrophilic skin care active.

- 22. (Previously Presented) The topical ointment as set forth in claim 21 wherein the hydrophilic skin care active is selected from the group consisting of botanicals, glycerin, hydrogenated starch hydrolysate, propylene glycol, sodium PCA, sodium lactate, sorbitol, and mixtures thereof.
- (Currently Amended) A topical ointment comprising from 23. about 30[10]% by total weight of the ointment to about 80[89]% by total weight of the ointment of an emollient, from about 20[10]% by total weight of the ointment to about 40[50]% by total weight of the ointment of a structurant, from about 0.1% by total weight of the ointment to about 40% by total weight of the ointment of a rheology enhancer, from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment of a particulate material, and from about 0.1% by total weight of the ointment to about 10% by total weight of the ointment of a low HLB surfactant, wherein the rheology enhancer is selected from the group consisting of polyisobutylene; hydrogenated polyisobutene and butylene/ethylene/styrene copolymers; hydrogenated polyisobutene and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isononyl isononanoate and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isododecane and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isohexadecane and ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; isopropyl palmitate and

ethylene/propylene/styrene copolymers and butylene/ethylene/styrene copolymers; and combinations thereof.

- 24. (Cancelled).
- 25. (Previously Presented) The topical ointment as set forth in claim 23 wherein the rheology enhancer is polyisobutylene.
 - 26. (Cancelled).
- 27. (Previously Presented) The topical ointment as set forth in claim 1 wherein the rheology enhancer is polyisobutylene.